pplication No.	Applicant(s)
0/038.345	HWANG, EUISEOK
xaminer	Art Unit
mir Alavi	2621
s on the cover sheet with the core R REMAINS) CLOSED in this apportion other appropriate communication ITS. This application is subject to d MPEP 1308.	orrespondence address
randary 2002.	
xaminer.	
r 35 U.S.C. § 119(a)-(d) or (f). en received. en received in Application No nents have been received in this	national stage application from the
his communication to file a reply Tof this application.	complying with the requirements
d. Note the attached EXAMINER' eason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
e submitted. s Patent Drawing Review ( PTO- mendment / Comment or in the C c)) should be written on the drawing	Office action of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendn	e
	mir Alavi  son the cover sheet with the case REMAINS) CLOSED in this apport other appropriate communication its. This application is subject to d MPEP 1308.  January 2002.  Examiner.  The received.  The received in Application No

Art Unit: 2621

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: The present invention is directed to a method and apparatus for modifying rectangular page data to be recorded in a holographic digital data storage system. Each independent claim identifies the uniquely distinct feature, "for dividing the rectangular page data into a central region thereof and a peripheral region which surrounds the central region, while rearranging the peripheral region to generate a rearranged peripheral region and merging the central region with the rearranged peripheral region to generate modified page data. The closest prior 6,661,725 B2), discloses wherein storing/restoring art, Roh (USPN holographic data and coding/decoding holographic data, the apparatus divides input data into a plurality of groups, each of which includes two binary digits and encodes each of the groups into a 2 by 2 data block wherein a first row of the 2 by 2 data block has the two binary digits and a second row thereof has another binary digits generated by applying a binary differential calculation on the first row; while Hesselink et al. (USPN 6,414,763 B1), disclose digital holographic camera system and method having removable media, either singularly or in combination, fail to anticipate or render the above underlined limitation obvious.

Page 3

Application/Control Number: 10/038,345

Art Unit: 2621

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Contact Information**

- ➤ Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amir Alavi whose telephone number is 703-306-5913.
- The examiner can normally be reached on Mon-Thu.. 8:00 am thru 6:30pm.lf attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Leo Boudreau can be reached on 703-305-4706.

Application/Control Number: 10/038,345

Art Unit: 2621

- The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.
- For more information about the PAIR system, see http://pair-direct.uspto.gov.

  Should you have questions on access to the Private PAIR system, contact the

  Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ANDREW W. JOHNS PRIMARY EXAMINER

AA Group Art Unit 2621 10 November 2004